Detailed postestimation — Postestimation tools for betaled	betareg	postestimation	 Postestimation tools for betareg
---	---------	----------------	--

Postestimation commands predict margins Remarks and examples Also see

Postestimation commands

The following postestimation commands are available after betareg:

Command	Description			
contrast	contrasts and ANOVA-style joint tests of parameters			
estat ic	Akaike's, consistent Akaike's, corrected Akaike's, and Schwarz's Bayesian infor- mation criteria (AIC, CAIC, AICc, and BIC, respectively)			
estat summarize	summary statistics for the estimation sample			
estat vce	variance-covariance matrix of the estimators (VCE)			
estat (svy)	postestimation statistics for survey data			
estimates	cataloging estimation results			
etable	table of estimation results			
* forecast	dynamic forecasts and simulations			
* hausman	Hausman's specification test			
lincom	point estimates, standard errors, testing, and inference for linear combinations of parameters			
* lrtest	likelihood-ratio test			
margins	marginal means, predictive margins, marginal effects, and average marginal effects			
marginsplot	graph the results from margins (profile plots, interaction plots, etc.)			
nlcom	point estimates, standard errors, testing, and inference for nonlinear combinations of parameters			
predict	conditional means and variances, linear predictions, etc.			
predictnl	point estimates, standard errors, testing, and inference for generalized predictions			
pwcompare	pairwise comparisons of parameters			
suest	seemingly unrelated estimation			
test	Wald tests of simple and composite linear hypotheses			
testnl	Wald tests of nonlinear hypotheses			

*forecast, hausman, and lrtest are not appropriate with svy estimation results.

predict

Description for predict

predict creates a new variable containing predictions such as linear predictions, conditional means, conditional variances, and equation-level scores.

Menu for predict

Statistics > Postestimation

Syntax for predict

```
predict [type] newvar [if] [in] [, statistic]
```

predict [type] stub* [if] [in], scores

statistic	Description
Main	
<u>cm</u> ean	conditional mean of the dependent variable; the default
<u>cvar</u> iance	conditional variance of the dependent variable
xb	linear prediction in the conditional-mean equation
<u>xbsca</u> le	linear prediction in the conditional-scale equation
stdp	standard error of the linear prediction

These statistics are available both in and out of sample; type predict ... if e(sample) ... if wanted only for the estimation sample.

Options for predict

Main

cmean, the default, calculates the conditional mean of the dependent variable.

cvariance calculates the conditional variance of the dependent variable.

xb calculates the linear prediction for the conditional-mean equation.

xbscale calculates the linear prediction for the conditional-scale equation.

stdp calculates the standard error of the linear prediction for the conditional-mean equation.

scores calculates equation-level score variables. The first new variable will contain the derivative of the log likelihood with respect to the conditional-mean equation, and the second new variable will contain the derivative of the log likelihood with respect to the conditional-scale equation.

margins

Description for margins

margins estimates margins of response for conditional means, conditional variances, and linear predictions.

Menu for margins

Statistics > Postestimation

Syntax for margins

```
margins [marginlist] [, options]
margins [marginlist], predict(statistic ...) [predict(statistic ...) [ options ]
```

statistic	Description
<u>cm</u> ean	conditional mean of the dependent variable; the default
<u>cvar</u> iance	conditional variance of the dependent variable
xb	linear prediction in the conditional-mean equation
<u>xbsca</u> le	linear prediction in the conditional-scale equation
stdp	not allowed with margins
scores	not allowed with margins

Statistics not allowed with margins are functions of stochastic quantities other than e(b).

For the full syntax, see [R] margins.

Remarks and examples

Example 1

In example 3 in [R] betareg, we selected a model for school-level data on the fraction of students passing a state-required exam. In that example, we were interested in whether a voluntary summer program increased schools' pass rates. We continue that example to estimate an average treatment effect (ATE) of the program.

After reading in the data and fitting the model, we use margins to estimate the ATE.

```
. use https://www.stata-press.com/data/r19/sprogram
(Fictional summer program data)
. betareg prate freemeals pdonations i.summer, scale(freemeals) link(cloglog)
> slink(root) vce(robust)
  (output omitted)
```

We specify vce(robust) with the estimation command and vce(unconditional) with the margins command to obtain standard errors for a population ATE instead of a sample ATE.

. margins r.s	ummer, contras	st(nowald) vce	(unconditiona	al)				
Contrasts of p	predictive man	rgins		Number	of	obs	= 1	,000
Expression: Co	onditional mea	an of prate, p	redict()					
	[Contrast	Jnconditional std. err.	[95% conf.	interval]				
summer (Yes vs No)	.0890851	.008626	.0721784	.1059918				

The average pass rate would be about 9% higher when all schools offered the program than when no school offered the program.

4

Also see

- [R] betareg Beta regression
- [U] 20 Estimation and postestimation commands

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on citing Stata documentation.